

SURFACE LEVEL DATA			
NUMBER	MINIMUM LEVEL	MAXIMUM LEVEL	COLOUR
1	0.00	0.50	Green
2	0.50	1.00	Light Green
3	1.00	1.50	Yellow
4	1.50	2.00	Light Orange
5	2.00	2.50	Orange
6	2.50	3.50	Dark Orange
7	3.50	7.00	Red

DO NOT SCALE FROM THIS DRAWING

NOTES

- CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

LEGEND:-

- SITE BOUNDARY
- TURBINE LOCATIONS
- PROPOSED TRACK
- CRANE HARDSTANDING
- BORROW PITS
- TEMPORARY CONSTRUCTION COMPOUND, SECURITY, STORAGE AND BATCHING PLANT
- EXTENSION TO EXISTING OPERATIONS BUILDING
- SUBSTATION, WELFARE FACILITY AND STORE
- TEMPORARY CONSTRUCTION COMPOUND, SECURITY AND STORAGE
- PEAT PROBE LOCATION

REV.	BY	CHK'D	APP'D	DATE	DESCRIPTION
P06	KM	LR	KMG	08.02.22	WTG NUMBERING UPDATED
P05	KM	LR	KMG	03.02.22	LAYOUT UPDATED
P04	KM	KMG	KMG	28.06.21	UPDATED AS PER COMMENTS
P03	KM	KMG	KMG	21.06.21	UPDATED AS PER COMMENTS
P02	KM	KMG	KMG	25.05.21	LAYOUT UPDATED
P01	LQ	KMG	KMG	28.04.21	FIRST ISSUE

CODE: S2 DRAWING STATUS: FOR INFORMATION

**Tony Gee**  
 Tony Gee and Partners LLP  
 3rd Floor, James Sellars House  
 144 West George Street  
 Glasgow  
 G2 2HG  
 Tel: 0141 226 2470  
 www.tonygee.com  
 Consulting Engineers

ON BEHALF OF

**sse**  
Renewables

ACHANY EXTENSION  
WIND FARM

FIGURE 11.2.6d:  
PROPOSED LAYOUT WITH  
PEAT DEPTHS

SHEET 4 OF 6

PEAT PROBES  
SCALE 1:5000

RESIDUAL HAZARD

SUGGESTED CONTROL MEASURE


SIGNIFICANT RESIDUAL HAZARDS

NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.



DRAWING No. S119052-TG-XX-XX-DR-C-0014

DRAWN : LQ	DESIGNED : LR	REVISION
SCALE : 1:5000	ORIGINAL SIZE : A1	P06



SURFACE LEVEL DATA			
NUMBER	MINIMUM LEVEL	MAXIMUM LEVEL	COLOUR
1	0.00	0.50	Green
2	0.50	1.00	Light Green
3	1.00	1.50	Yellow
4	1.50	2.00	Light Orange
5	2.00	2.50	Orange
6	2.50	3.50	Dark Orange
7	3.50	7.00	Red

DO NOT SCALE FROM THIS DRAWING

NOTES

- CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

LEGEND:-

- SITE BOUNDARY
- TURBINE LOCATIONS
- PROPOSED TRACK
- CRANE HARDSTANDING
- BORROW PITS
- TEMPORARY CONSTRUCTION COMPOUND, SECURITY, STORAGE AND BATCHING PLANT
- EXTENSION TO EXISTING OPERATIONS BUILDING
- SUBSTATION, WELFARE FACILITY AND STORE
- TEMPORARY CONSTRUCTION COMPOUND, SECURITY AND STORAGE
- PEAT PROBE LOCATION

REV.	BY	CHK'D	APP'D	DATE	DESCRIPTION
P06	KM	LR	KMG	08.02.22	WTG NUMBERING UPDATED
P05	KM	LR	KMG	03.02.22	LAYOUT UPDATED
P04	KM	KMG	KMG	28.06.21	UPDATED AS PER COMMENTS
P03	KM	KMG	KMG	21.06.21	UPDATED AS PER COMMENTS
P02	KM	KMG	KMG	25.05.21	LAYOUT UPDATED
P01	LQ	KMG	KMG	28.04.21	FIRST ISSUE

CODE: S2 DRAWING STATUS: FOR INFORMATION

**Tony Gee and Partners LLP**  
 3rd Floor, James Sellars House  
 144 West George Street  
 Glasgow  
 G2 2HG  
 Tel: 0141 226 2470  
 www.tonygee.com  
 Consulting Engineers

ON BEHALF OF

**sse Renewables**

**ACHANY EXTENSION WIND FARM**

**FIGURE 11.2.6e: PROPOSED LAYOUT WITH PEAT DEPTHS**

SHEET 5 OF 6

**PEAT PROBES**  
SCALE 1:5000


100m 0 100m 200m 300m 400m 500m  
SCALE 1:5000

RESIDUAL HAZARD	SUGGESTED CONTROL MEASURE
<b>SIGNIFICANT RESIDUAL HAZARDS</b>	
NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.	

DRAWING No. **S119052-TG-XX-XX-DR-C-0015**

DRAWN	DESIGNED	REVISION
LQ	LR	P06

SCALE: 1:5000 ORIGINAL SIZE: A1



SURFACE LEVEL DATA			
NUMBER	MINIMUM LEVEL	MAXIMUM LEVEL	COLOUR
1	0.00	0.50	Green
2	0.50	1.00	Light Green
3	1.00	1.50	Yellow
4	1.50	2.00	Orange
5	2.00	2.50	Red-Orange
6	2.50	3.50	Red
7	3.50	7.00	Dark Red

DO NOT SCALE FROM THIS DRAWING

- NOTES
- CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

- LEGEND:-
- SITE BOUNDARY
  - TURBINE LOCATIONS
  - PROPOSED TRACK
  - CRANE HARDSTANDING
  - BORROW PITS
  - TEMPORARY CONSTRUCTION COMPOUND, SECURITY, STORAGE AND BATCHING PLANT
  - EXTENSION TO EXISTING OPERATIONS BUILDING
  - SUBSTATION, WELFARE FACILITY AND STORE
  - TEMPORARY CONSTRUCTION COMPOUND, SECURITY AND STORAGE
  - PEAT PROBE LOCATION

REV.	BY	CHK'D	APP'D	DATE	DESCRIPTION
P05	KM	LR	KMG	08.02.22	WTG NUMBERING UPDATED
P04	KM	LR	KMG	03.02.22	LAYOUT UPDATED
P03	KM	LR	KMG	21.06.21	UPDATED AS PER COMMENTS
P02	KM	LR	KMG	25.05.21	LAYOUT UPDATED
P01	LQ	KMG	KMG	28.04.21	FIRST ISSUE

CODE: S2 DRAWING STATUS: FOR INFORMATION

**Tony Gee and Partners LLP**  
 3rd Floor, James Sellars House  
 144 West George Street  
 Glasgow G2 2HG  
 Tel: 0141 226 2470  
 www.tonygee.com  
 Consulting Engineers

ON BEHALF OF  
**sse Renewables**

**ACHANY EXTENSION WIND FARM**

**FIGURE 11.2.6f: PROPOSED LAYOUT WITH PEAT DEPTHS**

SHEET 6 OF 6

**PEAT PROBES**  
 SCALE 1:5000



RESIDUAL HAZARD	SUGGESTED CONTROL MEASURE
<b>SIGNIFICANT RESIDUAL HAZARDS</b>	
NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.	

DRAWING No. S119052-TG-XX-XX-DR-C-0016		
DRAWN : LQ	DESIGNED : LR	REVISION
SCALE : 1:5000	ORIGINAL SIZE : A1	P05