

SURFACE SLOPE DATA		
MINIMUM SLOPE	MAXIMUM SLOPE	COLOUR
0°	2°	<div></div>
2°	4°	<div></div>
4°	8°	<div></div>
8°	12°	<div></div>
12°	>12°	<div></div>

DO NOT SCALE FROM THIS DRAWING

NOTES

1. CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

LEGEND:-

BORROW PITS

WELFARE UNIT

BATCHING PLANT

OPERATIONS BUILDING

TEMPORARY CONSTRUCTION COMPOUNDS

TURBINE LOCATIONS

SITE BOUNDARY

PROPOSED TRACK

CRANE HARDSTANDING

P02	LQ	KMcG	KMcG	14.03.21	UPDATE MODEL
P01	LQ	KMcG	KMcG	28.04.21	FIRST ISSUE
REV.	BY	CHKD	APPD	DATE	DESCRIPTION
CODE	DRAWING STATUS				
S2	FOR INFORMATION				

Tony Gee and Partners LLP
3rd Floor, James Sellars House
144 West George Street
Glasgow
G2 2HG
Tel: 0141 226 2470
www.tonygee.com
Consulting Engineers

ON BEHALF OF


sse
Renewables

ACHANY WIND FARM

SLOPES ON SITE


SHEET 1 OF 6

SLOPES ON SITE
SCALE 1:20000



RESIDUAL HAZARD	SUGGESTED CONTROL MEASURE
SIGNIFICANT RESIDUAL HAZARDS	
NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.	

DRAWING No. S119052-TG-XX-XX-DR-C-0017		
DRAWN : LQ	DESIGNED : LR	REVISION
SCALE : 1:20000	ORIGINAL SIZE : A1	P02



SURFACE SLOPE DATA		
MINIMUM SLOPE	MAXIMUM SLOPE	COLOUR
0°	2°	Blue
2°	4°	Green
4°	8°	Yellow
8°	12°	Orange
12°	>12°	Red

DO NOT SCALE FROM THIS DRAWING

NOTES

1. CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

LEGEND:-

BORROW PITS

WELFARE UNIT

BATCHING PLANT

OPERATIONS BUILDING

TEMPORARY CONSTRUCTION COMPOUNDS

TURBINE LOCATIONS

SITE BOUNDARY

PROPOSED TRACK

CRANE HARDSTANDING

P02	LQ	KMcG	KMcG	14.03.21	UPDATE MODEL
P01	LQ	KMcG	KMcG	28.04.21	FIRST ISSUE
REV.	BY	CHK'D	APP'D	DATE	DESCRIPTION
CODE	DRAWING STATUS				
S2	FOR INFORMATION				



Tony Gee and Partners LLP
3rd Floor, James Sellars House
144 West George Street
Glasgow
G2 2HG
Tel: 0141 226 2470
www.tonygee.com
Consulting Engineers

ON BEHALF OF



ACHANY WIND FARM

SLOPES ON SITE

SHEET 2 OF 6

DRAWING No.
S119052-TG-XX-XX-DR-C-0018

DRAWN : LQ

DESIGNED : LR


REVISION

SCALE : 1:5000

ORIGINAL SIZE : A1

P02

SLOPES ON SITE		SCALE 1:5000	
RESIDUAL HAZARD	SUGGESTED CONTROL MEASURE		
SIGNIFICANT RESIDUAL HAZARDS		NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.	



SURFACE SLOPE DATA		
MINIMUM SLOPE	MAXIMUM SLOPE	COLOUR
0°	2°	Blue
2°	4°	Green
4°	8°	Yellow
8°	12°	Orange
12°	>12°	Red

DO NOT SCALE FROM THIS DRAWING

NOTES

1. CHAINAGE TICK LINES ALONG ACCESS TRACK ARE AT 100m CENTRES.

LEGEND:-

BORROW PITS

WELFARE UNIT

P02	LQ	KMcG	KMcG	14.03.21	UPDATE MODEL
P01	LQ	KMcG	KMcG	28.04.21	FIRST ISSUE
REV.	BY	CHK'D	APPD	DATE	DESCRIPTION
CODE		DRAWING STATUS			
S2		FOR INFORMATION			



Tony Gee and Partners LLP
3rd Floor, James Sellars House
144 West George Street
Glasgow
G2 2HG
Tel: 0141 226 2470
www.tonygee.com
Consulting Engineers

ON BEHALF OF



ACHANY WIND FARM

SLOPES ON SITE

SHEET 3 OF 6

DRAWING No. S119052-TG-XX-XX-DR-C-0019		
DRAWN : LQ	DESIGNED : LR	REVISION
SCALE : 1:5000	ORIGINAL SIZE : A1	P02

SLOPES ON SITE

SCALE 1:5000



SCALE 1:5000

RESIDUAL HAZARD	SUGGESTED CONTROL MEASURE
SIGNIFICANT RESIDUAL HAZARDS	
NOTE: The above hazards do not include every hazard or assumption, but identify significant residual construction hazards that are not likely to be obvious to a competent contractor and those that could be difficult to manage effectively. Refer also to the designer's risk documentation.	